## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/24/2012 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING		E CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
	15K091 B. WING			06/27/2012			
NAME OF PROVIDER OR SUPPLIER  HELP AT HOME SKILLED CARE				191	ET ADDRESS, CITY, STATE, ZIP CODE IO ST JOE CENTER ROAD, UNIT 41 RT WAYNE, IN 46825		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	x	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHOI CROSS-REFERENCED TO THE APPR DEFICIENCY)	ULD BE	(X5) COMPLETION DATE
G 000	INITIAL COMMENTS		G (	000			
	This was an initial M	ledicaid certification survey.					
	This was a partial ex	tended survey.					
	Survey dates: June 2	26, 27, 2012					
	Facility #: IN012855						
	Census type:						
	Skilled: 5 Home Health Aide O	nly: 5					
	Personal Care Only:						
	Total: 10						
	Sample:						
	RR w/HV: 5						
	RR w/o HV: 10 Total: 10						
	Surveyor: Miriam Be	ennett, RN, BSN, PHNS					
	QA:						
	Linda Dubak, R. July 5, 2012	N.					
G 121	484.12(c) COMPLIAI	NCE W/ ACCEPTED	G ´	121			7/10/12
G 121	PROFESSIONAL ST		J				7710712
	The HHA and its staf	f must comply with accepted					
	professional standards and principles that apply						
	to professionals furni	shing services in an HHA.					
		not met as evidenced by: on during home visit, policy					
		r, the agency failed to ensure					
		de (HHA) followed infection					
ABORATORY	 DIRECTOR'S OR PROVIDER/	SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/24/2012 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	' '	(X2) MULTIPLE CONSTRUCTION  A. BUILDING		(X3) DATE SURVEY COMPLETED	
		15K091	B. WIN	G		06/2	7/2012
NAME OF PROVIDER OR SUPPLIER  HELP AT HOME SKILLED CARE				STREET ADDRESS, CITY, STATE, ZIP CODE  1910 ST JOE CENTER ROAD, UNIT 41  FORT WAYNE, IN 46825			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PROVIDER'S PLAN OF COR PREFIX (EACH CORRECTIVE ACTION : TAG CROSS-REFERENCED TO THE A DEFICIENCY)		LD BE	(X5) COMPLETION DATE
G 121	receiving HHA only se effect all the agency's only services.  Findings include:  1. During home visit 11:00 AM, employee giving patient #8 a be the same pair of glow without changing glow gloves was worn to p dress the patient.  2. The agency's polic Control/Exposure Co provided by employed the agency's current Patient infection cont but not be limited to: gloves as necessary care f. Examples washing by home car soiled or contaminate  3. During interview of employee C indicated.	of 2 home visit patients ervices, with the potential to a patients who receive HHA  observation on 6/27/12 at D, a HHA, was observed d bath. Employee D used es throughout the bed bath res. Also the same pair of ick up soiled linens and then on the patient of the policy. The policy states, "1. For procedures shall include, a. Wearing and changing during the delivery of patient requiring frequent hand e employees: After handling	G	121			